

THE OFFICE IN THE AGE OF COVID-19

March 2021









TABLE OF CONTENTS

Summary	2
Prepare the Building	3
Building Systems	3
Cleaning	5
Access Control and Circulation	6
Prepare the Workspace	9
Workspace Best Practices	9
Physical Distancing	9
Occupancy Planning	12
Cleaning	15
Prepare the Workforce	16
Scheduling	16
Time and Leave	18
Face Coverings	18
Health Screenings	19
Temperature Screenings	20
COVID-19 Diagnostic Testing	20
Vaccinations	21
Managing COVID-19 Cases	22
Quarantine	23
Essential Workers	24
Personal Hygiene Best Practices	24
Childcare and Dependent Care Guidance	24
Travel	25
City Vehicle Operators and Passengers	25
Accessibility Considerations	26
Support for Employees	26
Communication	27
Resources	28

First Released: June 19, 2020 Revised: August 11, 2020

March 15, 2021

Summary

This document is a compilation of information from across government and industry. It can be used as a framework for agencies' consideration as they continue to manage and expand their on-site operations during this time while reducing the risk of COVID-19 transmission.

This guidance is grounded in the NYC Department of Health and Mental Hygiene's (DOHMH or NYC Health Department) key actions for preventing COVID-19 transmission:

- Stay home if you are sick. Only leave for essential medical or other essential errands.
- **Stay apart.** Keep at least 6 feet distance from other people.
- Keep your hands clean. Wash your hands often and carry alcohol-based hand sanitizer to use while traveling. Avoid touching your face with unwashed hands and cover your coughs and sneezes.
- Wear a face covering. Protect yourself and those around you by wearing a face covering at all times outside your home. A cloth mask with two or three layers or a cloth mask over a disposable mask is recommended. Face coverings are required in New York State on all public transportation (including car services) and are required by air, train, ferry, and bus carriers.
- **Get Tested.** All New Yorkers should get a COVID-19 virus (diagnostic) test regularly, whether or not they have symptoms or are at increased risk.
- **Avoid Travel**. If you must travel, plan ahead by reading the <u>NYC Health Department's guidance</u> and taking all recommended precautions. Be prepared to quarantine when you return.
- **Get Vaccinated.** When you are eligible and ready to do so, schedule an appointment at vaccinefinder.nyc.gov.

The guidance in this document is divided into four pillars:

- 1. <u>Prepare the Building</u>: provides guidance on risk mitigation strategies related to building infrastructure and public areas in buildings managed by City agencies.
- Prepare the Workspace: provides guidance on risk mitigation strategies related to an agency's
 physical workspaces, including workplace best practices, physical distancing, occupancy
 planning, and cleaning.
- 3. Prepare the Workforce: provides guidance on risk mitigation strategies related to the City's workforce, including alternative work schedules; face coverings and health screenings requirements; personal hygiene best practices; testing and vaccination recommendations and resources. It also includes COVID-specific personnel policies, accessibility considerations, and employee support resources.
- 4. <u>Communication</u>: provides guidance on establishing and maintaining centralized, two-way, multi-channel communications with the staff and the public.

This guidance was prepared by the Department of Citywide Administrative Services (DCAS) in partnership with the Mayor's Office, the NYC Health Department, New York City Office of Labor Relations (OLR), and the New York City Law Department. Recommendations are advisory and should be used for planning purposes only; agencies are encouraged to make their own decisions based on their unique workspaces and workforces. Please be advised that the information contained herein represents current guidance as of the date of release, and agencies should reference the primary resources included throughout this document when establishing their policies and protocols.

PREPARE THE BUILDING

This section provides guidance on risk mitigation strategies related to building infrastructure and public areas in buildings. It is intended for agencies that manage buildings. Agencies in buildings either managed by another agency or a private landlord should work with their building management to address the measures described in this section.

BUILDING SYSTEMS

This section provides high-level guidance only. See the government and industry resources referenced within this section and the <u>Resources</u> section at the end of this document for more details.

Vacant Buildings

- Verify mechanical systems' operation and restore all sequences, setpoints, and schedules modified during the rollback of operations.
- Evaluate the building and its mechanical and life safety systems to determine if the building is ready for occupancy. Check for hazards associated with a prolonged facility shutdown such as mold growth, rodents or pests, or issues with stagnant water in building systems, and take appropriate remedial actions.
- For building heating, ventilation, and air conditioning (HVAC) systems that have been shut
 down or have been operated on a reduced schedule, review <u>Standard Practice for</u>
 <u>Inspection and Maintenance of Commercial Building</u> from the American Society of Heating,
 Refrigerating, and Air-Conditioning Engineers (ASHRAE).

HVAC Systems

The potential for the airborne transmission of COVID-19, in addition to close contact transmission, has led to an increased focus on ventilation and filtration to mitigate the risk of transmission in indoor settings (see Resources section for references on this topic).

The <u>Centers for Disease Control & Prevention (CDC)</u> recommends the following ventilation guidance based on guidance from ASHRAE:

- Increase outdoor air ventilation, using caution in highly polluted areas.
- When weather or building conditions allow, increase fresh outdoor air by opening windows and doors. Do not open windows and doors if doing so poses a safety or health risk (e.g., risk of falling, triggering asthma symptoms) to occupants in the building.
- Use fans to increase the effectiveness of open windows. To safely achieve this, fan
 placement is important and will vary based on room configuration. Avoid placing fans in a
 way that could potentially cause contaminated air to flow directly from one person to
 another. One helpful strategy is to use a window fan, placed safely and securely in a
 window, to exhaust room air to the outdoors. This will help draw fresh air into the room via
 other open windows and doors without generating strong room air currents.
- Decrease occupancy in areas where outdoor ventilation cannot be increased.
- Ensure ventilation systems operate properly and provide acceptable indoor air quality for each space's current occupancy level.
- Increase airflow to occupied spaces when possible.
- Turn off any demand-controlled ventilation (DCV) controls that reduce air supply based on occupancy or temperature during occupied hours. In homes and buildings where the HVAC

fan operation can be controlled at the thermostat, set the fan to the "on" position instead of "auto," which will operate the fan continuously, even when heating or air-conditioning is not required.

- Open outdoor air dampers beyond minimum settings to reduce or eliminate HVAC air recirculation. In mild weather, this will not affect thermal comfort or humidity. However, this may be difficult to do in cold, hot, or humid weather.
- Increase air filtration, where practicable, to a Minimum Efficiency Reporting Value (MERV) rating of 13 or higher, or as high as possible without significantly reducing design airflow.
- Inspect filter housing and racks to ensure appropriate filter fit and check for ways to minimize filter bypass.
- Check filters to ensure they are within their service life and appropriately installed.
- Ensure restroom exhaust fans are functional and operating at full capacity when the building is occupied.
- Inspect and maintain local exhaust ventilation in areas such as kitchens, cooking areas, etc.
 Operate these systems any time these spaces are occupied. Consider operating these systems, even when the specific space is not occupied, to increase overall ventilation within the occupied building.
- Consider portable high-efficiency particulate air (HEPA) fan/filtration systems to help enhance air cleaning.
- Generate clean-to-less-clean air movement by re-evaluating the positioning of supply and exhaust air diffusers and dampers (especially in higher-risk areas).
- Consider using ultraviolet germicidal irradiation (UVGI) as a supplement to help inactivate SARS-CoV-2, especially if options for increasing room ventilation are limited. Upper-room UVGI systems can provide air cleaning within occupied spaces, and in-duct UVGI systems can help enhance air cleaning inside central ventilation systems.
- Consider running the HVAC system at maximum outside airflow for 2 hours before and after the building is occupied.
- Update building management system (BMS) programming to incorporate HVAC strategies to reduce virus transmission.
- Automate the control sequences applied as "Epidemic Mode" operation that the operator can manually select. If automation is not possible, develop manual procedures.
- For buildings that do not have fully functional building management systems, operators should manually override existing control systems and sequences to increase ventilation, where feasible.

Water Systems

- Review and implement NYC Health Department's <u>Guidance for Returning Building Water</u> Systems to Service After Prolonged Shutdown.
- Work with water treatment service provider to ensure chemical levels are within defined ranges for cooling towers, closed water systems, water features, etc.
- Ensure drinking water systems are current with maintenance schedules.
- Post reminders for proper hand hygiene at water fountains and sinks.
- Consider replacing manually operated systems with motion-sensor drinking water systems.

Restrooms

- Ensure restrooms are supplied with soap at all times.
- Limit occupancy of restrooms and block off every other sink to ensure physical distancing.
- Ensure restrooms are under negative pressure.
- Run toilet exhaust systems continuously during occupancy periods and a minimum of two hours before and after occupancy.

CLEANING

See the <u>Prepare the Workspace</u> section for more information on cleaning and personal hygiene within the workspace.

- For buildings (or areas) that have been vacant, conduct a comprehensive top-to-bottom and perimeter cleaning and disinfection, with a particular focus on frequently touched surfaces and objects, such as doorknobs, handles, and faucets.
- Follow NYC Health Department's <u>Guidance for Cleaning and Disinfection for Non-Health</u>
 <u>Care Settings</u> to develop, follow, and maintain a cleaning plan. Use NYC Health
 Department's Cleaning and Disinfection Log Template to keep track of actions taken.
- Inventory cleaning supplies and check for compliance with the EPA's <u>List N: Disinfectants for Coronavirus (COVID-19)</u>; procure supplies as needed.
- Establish protocols for cleaning after a suspected or confirmed case of COVID-19 following the CDC's guidance on <u>Cleaning and Disinfecting Your Facility</u>. See DCAS' <u>COVID-19</u>
 Prevention: Enhanced Cleaning and <u>Disinfection Protocols</u> for an example.
- For agencies that manage multi-tenant buildings (the "managing agency"), establish and communicate procedures for how a tenant should notify the managing agency after a tenant learns that an individual with a positive COVID-19 test result has been in the building¹.
- Install hand sanitizer in high traffic and public areas.
- Ensure cleaning equipment and tools are in working condition.
- Ensure that cleaning staff are trained on the proper use and limitations of personal
 protective equipment (PPE), personal hygiene protocols, mixing/applying and disposal of
 approved cleaning and disinfecting agents (following OSHA Hazard Communication
 Standard) and are appropriately supervised to promote ongoing quality control.
- Establish protocols for proper disposal of PPE used by building staff following government regulatory requirements.

¹ See Interim Guidance for Office-Based Work During the COVID-19 Public Health Emergency, page 11.

ACCESS CONTROL AND CIRCULATION

Controlling access to the building is critical in minimizing the spread of COVID-19 and reassuring workers and visitors that actions are being taken to help protect them. The level of control will depend on both the nature of the business being conducted in the building, the building owner and the number of tenants in the building.

Face Coverings and Health Screenings

This section is intended for agencies that control the entrance to their buildings only. Agencies should refer to the <u>Prepare the Workforce</u> section for guidance related to health screenings and face coverings for the agency's employees, visitors, and clients.

- Establish a protocol for the use of face coverings by individuals entering the building. See
 the NYC Health Department's <u>face covering guidance</u> for information about types of
 appropriate face coverings and when and how to wear them. For a sample protocol, see
 Building Entrance Face Covering Protocol.
- Establish a process and supply for providing a face covering to an individual who does not have one to allow for their entrance into the building.
- Establish protocols and procedures for conducting building health screenings for employees, visitors², and clients³.
 - Employees and visitors:
 - For a sample health screening protocol, see DCAS' COVID-19 Health Screening Protocol for DCAS-Managed Buildings.
 - Follow the NYC Agency Employee COVID-19 Screening Tool ⁴ distributed by AgencyRestart.
 - If an Agency manages a building with tenants, coordinate with tenants on entry protocols for their employees and visitors.
 - Keep a log confirming review of confirmatory questions of all employees and visitors screened for purposes of entering the building (i.e., the log should *only* include confirmation that (1) the health screen questionnaire was completed and (2) that the person was cleared to enter the building).
 - Clients:

 The Mayoral Task Force on Restart leaves it to each agency's discretion to implement a responsible health screening policy for clients that accounts for its services and needs.

² "Visitors" are prescheduled or expected guests who the agency anticipates will have a prolonged visit and will interact closely with agency employees (e.g., a court reporter coming for a deposition), but who are not seeking services from the agency. Visitors also include, but are not limited to, maintenance workers, contractors, and individuals coming from other entities for conferences and meetings.

³ "Clients" are members of the public who are seeking services from City agencies as walk-ins or by appointment.

⁴ A link to the NYC Agency Employee COVID-19 Screening Tool and the NYC Agency COVID-19 Screening Tool for Clients is intentionally omitted as the screening tool is regularly updated. Agencies should consult with their General Counsel or Agency Chief Restart Officer (ACRO) for the latest version and guidance.

- Agencies are strongly encouraged, however, to employ the most stringent health screening process feasible to equally protect the health and safety of their employees and all members of the public
- Agencies that elect to screen clients should follow the <u>NYC Agency COVID-</u>
 19 Screening Tool for Clients distributed by AgencyRestart.
- Temperature screening is not mandatory but is permitted. See <u>Temperature Screening</u> in the Workforce section for more information.
- Train screeners to ensure effective, non-discriminatory application of screening protocols; and on maintaining confidential information.
- Ensure screeners wear appropriate PPE, including, at a minimum, face covering and gloves.
- At all entrances, post requirements for face coverings and health screenings, as well as on agency websites where appropriate.
- Consider accessibility (review <u>Accessibility Considerations for a Return to the Office Plan</u>)
 when developing, communicating, and deploying policies and protocols.
- Ensure all signage meets the Mayor's Office for People with Disabilities (MOPD) standards.
- Communicate all policies and protocols to tenants.

Elevators & Stairs

- Post elevator etiquette and requirements. The <u>CDC</u> recommends individuals wear a mask, avoid speaking, minimize surface touching, and use an object or knuckle to push the elevator button.
- Limit the number of people in an elevator and post maximum occupancy at all elevator banks and within each elevator.
- Use floor markings in lobbies and near the entrance to escalators and stairwells to reinforce physical distancing.
- Post allowable occupancy per elevator; and, where beneficial, indicate where to stand and which direction to face in the elevator.
- Open stairways, additional access doors, and freight elevators for travel where possible.
- Post reminders or signage near elevators for the option of using open stairways.
- Encourage occupants to take stairs when possible, especially when elevator lobbies are crowded or only walking a few flights.
- Where feasible, designate certain stairwells or sides of stairwells as "up" and "down" to promote physical distancing.
- Ensure regular cleaning schedule of all surfaces.
- Cover buttons with anti-microbial plastic to protect the electronic components from being damaged by cleaning supplies.
- Consider adding supplemental air ventilation or local air treatment devices in frequently used elevator cars if feasible.

Physical Distancing

- Establish a one-directional flow of movement at entrances, hallways, and exits, and post accordingly.
- Install 6-foot markers at entrances, elevators, and areas where people may congregate to enforce physical distancing.
- Install hygienic barriers at reception desks, service counters, and other public engagement areas.
- Review shipping and receiving protocols and modify as needed. Consider separating shipping and receiving areas from the general population, requiring personnel handling mail and parcels to wear PPE to receive parcels, correspondence, and other deliveries, and encouraging contactless delivery.
- Develop fire drill and evacuation protocols that allow for physical distancing (see <u>DCAS Fire</u> and <u>Life Safety Evacuation Drill Demonstration</u> example).

PREPARE THE WORKSPACE

This section provides guidance on risk mitigation strategies related to an agency's physical workspaces, including workspace best practices, physical distancing, occupancy planning, and cleaning. It applies to agencies that operate in both city-owned and leased buildings.

WORKSPACE BEST PRACTICES

- Develop plans and policies to create a space wherein people can always stay at least 6 feet apart.
- Encourage face coverings to be worn at all times even if 6 feet distancing can be maintained.
- Keep hand sanitizer containing at least 60% alcohol readily available.
- Promote frequent washing of hands with soap and water for at least 20 seconds.
- Do not allow in-person meetings unless necessary. When in-person meetings are required, ensure physical distance is maintained.
- Post signs to promote physical distancing and personal hygiene; ensure all signage is accessible to all.
- Limit the use of shared workstations to the extent practicable. If workstations are shared, they must be cleaned and disinfected before and after use.
- Review <u>Accessibility Considerations for a Return to the Office Plan</u> before making any changes.

PHYSICAL DISTANCING

Physical distancing is an important risk mitigation strategy. Workspaces can be used and reconfigured to enable staff to maintain at least 6 feet distance from each other when working and moving about the space.

Workspaces:

No-or Low-Cost Strategies:

- Use alternating desks.
- Use workspaces that allow 6-foot separation from main corridors and adjacent workstations.
- Ensure access in and out of secondary aisles does not infringe on the clearance of workstations.
- Block off non-compliant areas.
- Consider removing desks, monitors, or chairs at desks, tables, and seating that will not be used.

Strategies with Costs:

- Installing physical barriers (e.g., plexiglass or similar materials) at reception and security desks.
- Consider adding screens (plexiglass or other solid material) in front of, beside, and behind people.
- Consider reconfiguring the placement of workstations:
 - Reduce sitting face to face without a barrier.
 - Increase the distances between workstations and desks.


 Turning workstations to 90-degree angles to prevent workers from working directly across or behind one another.

Reception Areas

- Install physical barriers (e.g., plexiglass or similar materials) at reception and security desks.
- Rearrange or take away seating in the reception area to manage physical distancing.
- Remove pens and paper sign-in and have receptionists log guests. If this is not feasible, require a visitor to use their own pen or request a single-use pen if needed; or set out separate holders for clean pens and used pens and sanitize the used pens before moving them back to the clean holder.
- Keep the hand sanitizer dispensers in plain view or if a dispenser is not located in a reception area, set out bottles of hand sanitizer.

Shared Spaces

- Provide hand sanitizer dispensers in public engagement areas.
- Establish and post the maximum occupancy allowed for shared spaces for effective physical distancing (e.g., conference rooms, huddle spaces, pantries, break rooms, and copy rooms).



- Remove chairs that would allow greater occupancy.
- Install signage with occupancy limits. Decommission or repurpose large gathering spaces.
- Re-adjust the spacing of ancillary furniture in public areas, shared spaces, and break-out areas.

- Mark furniture such as sofas and bench seating for single usage unless 6-foot distancing is possible.
- Prohibit shared use of small conference or break rooms by more than one person.
- Establish protocols for break rooms, vending machine access, and eating. Minimize touchpoints by removing coffee pots and similar shared equipment.
- Where training is virtual, and training rooms remain empty, repurpose the rooms to be used as workspaces or swing space for staff, or use these rooms to temporarily store ancillary furniture that has been removed from other areas.
- Establish a methodology for monitoring occupancy and density. Consider installing sensors to quantify the utilization of spaces.

Office Circulation & Reducing Touch Points

- Establish a one-directional path for movement through entrances, hallways, and exits; post signage accordingly. DCAS has prepared <u>signs</u> that can be printed if needed.
- Consider designating specific routes for primary circulation to limit exposure to individual workstations.
- Install 6-foot markers at entrances, elevators, and areas where people may congregate to enforce physical distancing.
- Use visual cues to remind employees of high-touch areas such as light switches, water fountains, printers, etc.
- Encourage a printer-free office to reduce lines and handling of printers; disable or move shared equipment that is less than 6 feet from a workstation or consider removing workstations within 6 feet of a shared printer, as may be appropriate.
- Post reminders or signage near elevators indicating the option of using open stairways (if available).
- As allowed by FDNY, building codes, and building operating procedures, keep doors open
 where possible to promote air circulation, and reduce door handle touching, and disable
 door access keypads.


OCCUPANCY PLANNING

General Guidance for Occupancy Planning


- Both physical distancing and HVAC-related factors must be considered when determining workspace occupancy limitations.
- Plans must ensure individuals always maintain at least 6 feet distance from others.
- The total number of occupants of a space should not exceed 50% of the maximum occupancy allowed per the NYC Building Code.

Physical Distancing Occupancy Planning


- Evaluate the workspace to determine which seats can be used to ensure physical distancing.
- How seats are assigned or designated as usable will depend on the agency's needs and
 whether staff will share seats. Even if different seats are used on different days, and the
 work schedule manages physical distancing rather than space, the exercise of assigning
 seats, as shown below, allows an agency to establish a Physical Distancing Occupancy
 Number.
- The simplest model is to designate seats as usable without modifying the layout or the furniture.



- Review traffic flow and how pathways may impact seating assignments. Adjust usable seats accordingly.
- After reviewing the traffic routes, an agency may need to revisit their initial seat assignments to ensure 6 feet between seats and high traffic areas. The use of individual seats in high trafficked areas may need to be eliminated.
- Consider installing 6-foot floor markers along traffic routes and where people may congregate to enforce physical distancing, such as entrances, reception desks, pantries, and copy rooms.



 As an alternative to eliminating seats, an agency can add protective barriers to increase separation in high traffic areas. Though the occupancy numbers may be increased using screens, there is a cost for materials, installation, and cleaning, and there may be a long lead time for materials.



Count the usable seats to establish the Physical Distancing Occupancy Number.

HVAC-Related Occupancy Planning

The previous section focuses on 6 feet physical distancing when determining the occupancy of a space. Most transmission is through close contact; however, there is evidence that "airborne" transmission may occur at distances greater than 6 feet under some circumstances, indicating a need to consider ventilation and filtration when planning for occupancy (see **Resources** Section for references).

Studies have indicated that reducing density may mitigate risks in certain indoor settings. As such, agencies may want to consider reducing density where ventilation capacity and filtration efficiency are low. The following is a simple methodology that DCAS has shared with its tenants (see <u>Case Study</u> for an example):

- Collect the following information from the building manager:
 - The number of HVAC systems or "zones" ⁵ that service the agency's space.
 If an agency's space has more than one zone, the information listed below should be collected for each zone, and an HVAC-Related Occupancy Number should be determined for each zone.
 - Square feet of each zone
 - Ventilation Capacity for each zone:
 - · HIGH: Can deliver 100% outside air
 - MEDIUM: Cannot deliver 100% outside air, but can deliver minimum as per building code
 - · LOW: Can deliver minimal amounts of outside air or purify recycled air
 - · NONE: No ability to supply outside air
 - Filtration of each zone:
 - MERV Rating ≥13
 - MERV Rating <13
 - No Rating
 - Windows operability of each zone:
 - · Can be opened
 - No ability to open windows (either cannot be opened or nonexistent)
- Apply the following square foot per person ratio to the space to establish the HVAC-Related
 Occupancy Number.

Ventilation Capacity	Filtration	Windows	SF/Person
HIGH	Any Rating	NA	200
MEDIUM	MERV≥13	NA	300
MEDIUM	MERV<13	NA	400
LOW	Any Rating	Windows Can Open	400
LOW	Any Rating	No Ability to Open Windows	None
NONE	Any Rating	NA	None

⁵ A zone is an area served by an individual HVAC system or ventilation source and may include an entire floor, multiple floors, or a section of a floor. Areas that have no HVAC system other than window units are considered one zone for the purposes of this exercise.

- Agencies may use DCAS' Workspace Occupancy Planning Worksheet to calculate occupancy.
- Where the Ventilation Capacity is Low or None and windows are nonexistent, or existing
 windows cannot be opened due to inoperability or inclement weather, consider discussing
 options with the building manager to reduce risk.
- Consider using the HVAC-Related Occupancy Number rather than the Physical Distancing Number established in the prior section if the HVAC-Related Occupancy Number is lower or introduce additional risk-mitigating strategies.
- Consider how many visitors and clients are expected. These people need to be counted when aligning operational needs and occupancy limitations.
- Seats considered "unassignable" for planning purposes may be used during off-hours (when occupancy is reduced).

CLEANING

While cleaning predominately falls within the <u>Prepare the Building</u> pillar, some measures can be taken within the workspace to facilitate and augment cleaning.

- Refer to NYC Health Department's <u>General Guidance for Cleaning and Disinfection for Non-Health Care Settings</u> for detailed guidance, additional information, and recommendations.
- Routinely clean all frequently touched surfaces in the workspace, such as workstations, keyboards, telephones, handrails, printer/copiers, drinking fountains, and doorknobs.
- Make cleaning wipes and sanitizer accessible; post signage requiring employees to clean workspace surfaces and equipment before and after use.
- Encourage employees to clean personal and shared workspaces.
- For agencies that manage buildings, review the tenants' occupancy plans to ensure building services meet the tenant agencies' needs.
- For agencies that are tenants, review building cleaning protocols and request changes to cleaning scope or additional services, if necessary.
- Make cleaning highly visible to assure employees that spaces are being cleaned.
- Institute a clean desk policy that requires employees to remove all items from their desks at the end of the day to facilitate regular cleaning of work surfaces.
- Where possible, consider installing contact-free motion sensor-controlled hand sanitizer dispensers.
- Place hand sanitizer in all areas with shared surfaces and equipment, in break rooms, conference rooms, elevator lobbies, and other high traffic and common areas where hand sanitizer dispensers have not been installed.
- Ensure bathroom cleaning and trash removal align with employee schedules.
- Keep all bathrooms well stocked with soap and paper towels.
- Increase frequency of cleaning appliances, such as refrigerators and microwaves.
- Remove shared items and equipment from common rooms.
- Use no-touch waste receptacles when possible.
- Disable touch screens on shared devices.

PREPARE THE WORKFORCE

This section provides guidance on employees' risk mitigation strategies, including alternative work schedules, face coverings, and health screenings requirements; personal hygiene best practices; and testing and vaccinations recommendations and resources. It also includes COVID-specific personnel and leave policies, accessibility considerations, and employee support resources.

SCHEDULING

Alternative work schedules (AWS) should continue to be considered based on the agency's specific needs and capabilities and the limitations of the building and workspace.

AWS Considerations:

- Occupancy limitations (see the <u>Prepare the Workspace</u> section for more information).
- Business needs and how service levels will be maintained.
- Logistics and how schedules will be coordinated amongst staff.
- Employee preferences.
- Employee productivity.
- Supervisory and management requirements (see <u>Guidelines for Managing Remotely</u>).
- Fairness and equity.
- How effective communications will be maintained.
- Impact on overtime.

AWS Guidance

- Staff should document the alternative work schedule (see <u>Alternative Work Arrangement</u> <u>Form</u> for a sample template) to ensure the employee and their supervisor understand duties and scheduling.
- Ensure work schedules are consistent yet flexible, account for high travel periods and days, maintain physical distancing, and comply with occupancy limitations within the workspace and building congestion.
- Align alternative work schedules with business needs.
- An employee's responsibilities should be evaluated before determining if an alternative work schedule is appropriate.
- Work that must be performed at specific times of the day may not be appropriate for an alternative work schedule.
- Ensure work schedules do not contravene negotiated collective bargaining agreements.
 Implementation of a new alternative work schedule for represented employees should be coordinated with the Office of Labor Relations.

AWS Options

Teleworking:

- Continue to allow teleworking as a scheduling option even as employees return to the office.
- Refer to DCAS' telework guidelines (see <u>PSB 600-3 Temporary Citywide Telework</u> <u>Policy for City Employees During the COVID-19 Outbreak)</u> for additional guidance on allowing work to be performed outside of the worksite.
- Review telework procedures periodically for updates and to re-evaluate implementation as appropriate.
- Ensure employees working from a remote work location (e.g., home) report the hours they work remotely in Citytime. See <u>Recording Work from a Remote Work</u> Location in CityTime Labor Allocation.

Flexible workdays:

- Flexible workdays provide for a work schedule where employees have flexible days
 off (e.g., granting Mondays and Tuesdays off instead of the weekend) to handle
 responsibilities that may have changed since the beginning of the crisis. Most titles
 allow for work to be performed any day of the week.
- Consider using flexible workdays to alleviate crowding in offices while allowing office space to be utilized, minimize congestion at entrance points, lobbies, and elevators, and assist families with childcare and dependent care needs.

Flexible arrivals:

- Flexible arrivals provide a wider window for staff to begin their workday (e.g., allowing for an arrival between 7 am and 10 am).
- Consider using flexible arrival times to allow employees to commute to work at different times, resulting in less congestion on public transport, entrance points, lobbies, and elevators.
- If a flexible arrival is not appropriate, consider allowing at least a 30-minute flexible band to allow employees to pass through COVID-19 related entry procedures such as health screening assessments and reduced occupancy in elevators and allow the additional time needed for commuting on public transit systems.
- Agencies are encouraged to allow managers to use discretion in adjusting employees' reporting times in CityTime to account for delays or lines while entering a building.

Compressed workweek:

- A compressed workweek provides for a work schedule where an employee works a traditional 5-day work week in less than 5 days (e.g., an employee who works 35 hours a week works 8.75 hours a day for 4 days rather than working 7 hours a day for 5 days).
- Consider using a compressed workweek to commute to work at different times, resulting in less congestion for public transport, entrance points, lobbies, and elevators.
- Reach out to the Office of Labor Relations for further guidance regarding compressed workweeks.

TIME AND LEAVE

The City has set forth the following policies that are applicable during the outbreak of COVID-19.

- Leave policy: <u>Updated Guidance for City Agencies on Leave Policy Applicable During the</u> Outbreak of Coronavirus Disease 2019 (COVID-19), eff. January 12, 2021.
- Time off and rewarding of compensatory time for receiving a COVID vaccine: (<u>PSB 600-4</u>: <u>Temporary Citywide Policy for Vaccination of City Employees against SARS-CoV-2</u>).
- Employees working from a remote work location (e.g., home) must report the hours they
 work remotely in Citytime. See <u>Recording Work from a Remote Work Location in CityTime
 Labor Allocation</u>.

FACE COVERINGS

- Implement face-covering protocols that comply with the City's face covering requirements.
 - DCAS Commissioner's Directive 2020-1 states that employees able to medically tolerate a face-covering:
 - Must wear a face covering that covers the employee's mouth and nose while performing any service that requires interacting with members of the public, and when it is not possible for the employee to maintain a distance of 6 feet or more from other City employees; and
 - Are strongly encouraged to wear:
 - a face covering when interacting with other City employees or members of the public in an indoor setting even if it is possible to maintain a distance of 6 feet or more, and
 - that fits snugly against the sides of the face and fully covers the
 nose and mouth without slipping, and (a) is made of two or three
 layers of tightly woven, breathable cloth material, or (b) consists of
 a cloth face covering worn over a disposable mask.
 - The NYC Health Department further defines what is an acceptable face mask and provides additional guidance. Refer to <u>COVID-19 Face Coverings: Frequently Asked</u> <u>Questions</u> for more information.
- Provide face coverings to employees, visitors, and clients, at no cost to them.
- Develop and communicate policies for:
 - What actions are taken by the agency if an employee is not wearing a face-covering or is wearing a non-compliant face covering.
 - What actions an employee should take if another employee is not wearing a facecovering or is wearing a non-compliant face covering.
 - How to address requests for reasonable accommodations by employees who are unable to wear or have difficulty wearing face coverings due to a disability.

HEALTH SCREENINGS

Agencies must implement a health screening assessment for employees and visitors and may implement a health screening assessment for clients⁶.

Employees and Visitors

- Agencies must implement a protocol that follows the <u>NYC Agency Employee COVID-19</u>
 <u>Screening Tool</u> ⁷ distributed by AgencyRestart for employees and visitors.
 - Health screenings for employees and visitors can be conducted via a mobile health screen application, secure webform, paper form, or verbally.⁸
 - If screenings are conducted verbally:
 - Make every effort to ensure others do not hear the individual's responses to the confirmatory questions.
 - Ask the questions in a private area and at a volume that minimizes the risk of overhearing.
 - Whenever possible, health screenings should be conducted before an individual arrives at the workplace.
 - Health screenings must be conducted on the day the individual is entering the workplace.
 - Health screenings need only be conducted once a day.
- An agency must contact its General Counsel for more information if the agency wants to use its private building management's security to screen employees and visitors at the entrance.
- See <u>Essential Worker</u> section below for more information on essential workers related to health screenings.
- Guidance on information management:
 - Do not retain the actual responses to the health screen questionnaire. Only collect and retain the following information:
 - · Name and agency they work for or are visiting.
 - Confirmation from the employee or visitor that they completed the health screen questionnaire.
 - Whether, based on the completed health screen questionnaire, the employee or visitor is cleared to enter the building.
 - Only share information collected with the agency's Human Resources department or designated agency employees trained to maintain confidential information.

⁶ "Visitors" are prescheduled or expected guests who the agency anticipates will have a prolonged visit and will interact closely with agency employees (e.g., a court reporter coming for a deposition), but who are not seeking services from the agency. Visitors also include, but are not limited to, maintenance workers, reporters and individuals coming from other entities for conferences and meetings.

[&]quot;Clients" are members of the public who are seeking services from City agencies as walk-ins or by appointment.

⁷ A link to the <u>NYC Agency Employee COVID-19 Screening Tool</u> is intentionally omitted as the screening tool is regularly updated. Agencies should check with their General Counsel or Agency Chief Restart Officer (ACRO) for the latest version and guidance; or email, <u>RTOGuidance@dcas.nyc.gov</u> or <u>agencyrestart@cityhall.nyc.gov</u>.

⁸ If done verbally, the agency must still collect written confirmation from the employee or visitor that (1) the health screen questionnaire was completed and (2) that the person was cleared to enter the building.

- Store information securely and treat it as confidential medical information; maintain it in a separate confidential medical file.
- Retain the above information for as long as required under a New York City
 Department of Records and Information Services (DORIS) approved retention policy for the agency.
- Refer to the <u>Updated Guidance for City Agencies on Leave Policy Applicable During the Outbreak of Coronavirus Disease 2019 (COVID-19), eff. January 12, 2021</u> for how leave should be processed for an employee who does not pass the health screening.

Clients

- Establish a policy for clients and health screenings.
 - The Mayoral Task Force on Restart leaves it to each agency's discretion to implement a responsible health screening policy for clients that accounts for its services and needs.
 - However, agencies are strongly encouraged to employ the most stringent health screen process feasible to equally protect the health and safety of their employees and all members of the public, whether they are visitors, clients, or customers.
 - If screening clients, follow the <u>NYC Agency COVID-19 Screening Tool for Clients</u>.⁹
- Only ask clients for the following information verbally:
 - Confirmation that the client read the health screen questionnaire.
 - Confirmation that the client, based on their health screen questionnaire responses, is cleared to enter the workspace.
- Do not retain any information or written documentation from clients, except if they have received a letter from the New York State Department of Health exempting them from quarantine requirements due to travel.
- Train screeners to ensure effective, non-discriminatory application of screening protocols.

TEMPERATURE SCREENINGS

- Temperature screening is not mandatory but is permitted at the agency's discretion.
- If an agency elects to conduct temperature screenings, it must consult with its General Counsel before implementing a temperature screening policy.
- Ensure staff performing the screens wear appropriate PPE, including, at a minimum, a face covering and gloves.

COVID-19 DIAGNOSTIC TESTING

- The NYC Health Department <u>recommends</u> that New Yorkers get tested periodically, regardless of whether they have symptoms.
- Testing is not mandatory for City employees.

⁹ A link to the <u>NYC Agency COVID-19 Screening Tool for Clients</u> is intentionally omitted as the screening tool is regularly updated. Agencies should check with their General Counsel or Agency Chief Restart Officer (ACRO) for the latest version and guidance.

- The City has established <u>testing sites exclusively for use by City employees</u> who are asymptomatic (not showing any signs or symptoms of COVID-19).
 - Testing is available by appointment only.
 - Tests are free.
 - Employees should consult with their supervisor before scheduling an appointment during work hours.
 - Refer to the NYC Office of Labor Relation's website for more information.
- Additional Information on testing and testing locations can be found at nyc.gov/covidtest

VACCINATIONS

The City's Vaccine Command Center is coordinating access to vaccination for eligible City employees. Please contact your Agency Vaccination Lead for the latest information and resources on vaccinations for employees.

- The City strongly encourages all City employees to be get vaccinated when they are eligible, as determined by New York State. Check eligibility categories here.
- Vaccinations are not mandatory for City employees.
- Agencies should notify employees who are eligible for vaccinations as directed by the NYC Vaccine Command Center (VCC).
- There are vaccination sites designated for City employees. Eligible employees may register online to utilize one of these locations.
- Alternatively, employees can also use the City's <u>vaccine finder website</u> or the NYC Health
 Department's <u>COVID-19 Vaccine Hubs Appointment Scheduler</u> to find vaccination locations
 open to the public.
- The City has implemented a time and leave policy for employees.
 - The policy provides up to two hours of excused leave during work hours for travel (to and from) and administration of the vaccine.
 - Upon successful completion of the vaccination, the employee is eligible for three hours of comp time.
 - See <u>PSB 600-4</u>: Temporary Citywide Policy for Vaccination of City Employees against <u>SARS-CoV-2</u> for the full policy.
- Employees who are vaccinated must continue to follow preventive actions.
- Vaccine resources:
 - Information about vaccines: nyc.gov/covidvaccine
 - Vaccine eligibility criteria: nyc.gov/covidvaccinedistribution
 - City employee vaccination sites:
 https://vax4nyc.nyc.gov/patient/s/?pid=a0J3d0000000ySiEAI
 - Vaccination site locator: nyc.gov/vaccinefinder
 - Vaccination site scheduler: COVID-19 Vaccine Hubs Appointment Scheduler

Managing COVID-19 Cases

Agencies must implement procedures to take action when an individual who tests positive for COVID-19 has been in the workplace or develops symptoms while in the workplace. The information provided in this section is general guidance only; agencies should consult with their Human Resources Department, General Counsel Office, and Agency Chief Privacy Officer when developing procedures.

If an employee tests positive for COVID-19, they will be contacted by <u>NYC Test and Trace</u>. Additionally, agencies should take the below steps. Similar steps, as applicable, should be taken if a visitor or client tests positive for COVID-19.

Notification

- Upon learning that an employee tested positive, the agency's human resources department ("home HR department") should notify, by secure means, anyone with whom the employee had "close contact" ¹⁰ while at work.
- The home HR department should direct the employee not to return to the
 workplace until such time their return can be made in a manner consistent with
 DCAS' return to work policies. Refer to the <u>Updated Guidance for City Agencies on
 Leave Policy Applicable During the Outbreak of Coronavirus Disease 2019 (COVID19), eff. January 12, 2021 for additional guidance.
 </u>
- The home HR department should request that the employee provide information related to their close contacts, and other information, such as schedules or supervisor knowledge, to help identify close contacts.
- If the employee who tested positive had close contact with someone who works within the agency, that home HR department should direct anyone with whom the employee reports having had close contact not to return to the workplace until their return can be managed in accordance with DCAS return to work and leave policies.
- If the employee who tested positive had close contact with someone who works at a
 different agency ("other agency"), the home HR department should confidentially
 reach out to the other agency's human resources department to notify them of the
 potential exposure so that outreach can be made to the other agency's potentially
 affected individuals.
- In complying with such requirement, the disclosing agency may not share the name
 of the employee who tested positive or any information that may reveal their
 identity without the employee's consent, preferably obtained in writing.
- If your agency needs assistance determining who should be contacted, please contact DOHMH at 866-692-3641 for additional guidance.

 $\underline{https://www1.nyc.gov/assets/doh/downloads/pdf/covid/covid-19-understanding-quarantine-and-isolation.pdf}$

¹⁰ A "close contact" is defined as someone who was within 6 feet of an infected person, for at least 10 minutes over a 24-hour period, starting from 2 days before illness onset (or, for asymptomatic person, 2 days prior to test specimen collection) until the time the person is isolated. See

Remedial Cleaning

- If it has been 7 days or longer since the employee was last in the workplace, no remedial cleaning is needed.
- If it has been less than 7 days since the employee was last in the workplace:
 - Close off the area around the employee's office or workstation in a manner that will not reveal the identity of the employee. For example, the area to be closed may include an office and workstations nearby, or the workstation that the positive employee used and all workstations proximate to it.
 Signage should be used to indicate no one should enter the blocked-off area.
 - Where possible, also close off areas visited by the employee for longer than 10 minutes. As with the employee's workstation, any areas that are closed off must be done so in a manner so as not to reveal the identity of the employee.
 - Clean and disinfect all areas blocked off (as indicated above), bathrooms, common areas, and shared electronic equipment used by the employee following the CDC's <u>guidance on cleaning and disinfecting</u>. See the <u>Cleaning</u> section for more information.
 - If the employee showed symptoms while at work, notify the building management on generally where the employee has been throughout the building and that the employee has tested positive. Do not disclose the employee's name or specific work locations unless the employee has expressly authorized it, preferably obtained in writing.

QUARANTINE

Quarantine guidelines continue to be updated frequently as new information emerges. Contact your General Counsel and your Human Resources Departments for the most current information pertaining to City agencies, and the following websites for information publicly available:

- New York City
 - COVID-19: Understanding Quarantine and Isolation, updated 12.31.20
- New York State Department
 - Interim Guidance for Public and Private Employees Returning to Work Following
 COVID-19 Infection or Exposure, May 31, 2020
 - Health Advisory: Quarantine for Persons Exposed to COVID-19, December 26, 2020
- CDC
 - When to Quarantine, updated 3.12.21
 - Options to Reduce Quarantine for Contacts of Persons with SARS-CoV-2 Infection
 Using Symptom Monitoring and Diagnostic Testing, updated 12.2.20

ESSENTIAL WORKERS

Like all other employees, essential workers exhibiting symptoms of COVID-19 or who have tested positive for COVID-19 are not permitted to go to work.

- An employee designated by the agency as an essential worker who has, within the past 10 days, been "exposed to COVID-19"¹¹ may return to work without completing the 10 days of quarantine if all the following conditions are met:
 - The employee's physical presence in the workplace is deemed critical for the operation or safety of such workplace, pursuant to a written determination by a human resources representative made at the time the employee seeks to return to work after COVID-19 exposure;
 - The employee has no COVID-19 symptoms and has tested negative with a COVID-19 molecular diagnostic test; and
 - The employee affirms they reviewed and understand certain precautions.
- Not all essential employees should be deemed critical for the operation or safety of the
 workplace; rather, upon notification that an employee has been exposed to COVID-19, the
 employer's human resource department must undertake an individual assessment of
 current workplace circumstances.
- When an employee is designated critical and permitted to work, efforts must be made to minimize the potential for disease transmission.
- In addition, before being allowed to physically return to the workplace, employees deemed critical must acknowledge in writing that they have reviewed and understand the required "workplace safety practices."
- Contact your agency's General Counsel or ACRO for additional information on this subject.

Personal Hygiene Best Practices

- Remind employees to clean and disinfect individual workspaces and surfaces, and equipment before and after use.
- Encourage employees to wash their hands with soap and water for at least 20 seconds.
- Make hand sanitizer containing at least 60% alcohol readily available.

CHILDCARE AND DEPENDENT CARE GUIDANCE

• If an employee is having difficulty securing care for a child under the age of 18 whose school or daycare facility is closed due to COVID-19 restrictions and the employee is unable to

^{11 &}quot;Exposed to COVID-19" means that the employee has either:

^{1.} Been within 6 feet of a person with COVID for a total of at least 10 minutes over a 24-hour period, OR

Recently returned from another state (other than Pennsylvania, New Jersey, Connecticut, Massachusetts, Vermont) OR a country/territory designated under a CDC level 2 or higher COVID-19 health notice or for which the COVID-19 risk level is designated by the CDC as "Unknown." (visit https://www.cdc.gov/coronavirus/2019-ncov/travelers/map-and-travel-notices.html for applicable countries/territories).

- telework, they may be eligible for leave under the Emergency Family and Medical Leave Expansion Act (Division C of the Families First Coronavirus Response Act (FFCRA)).
- The employee should contact their agency's human resources department for additional information pertaining to FFCRA.

TRAVEL

- Traveling for business purposes is not recommended.
 - Promote the use of videoconferencing or teleconferencing when possible for meetings and gatherings that would normally require travel.
 - Consider canceling, adjusting, or postponing work-related meetings or gatherings that can only occur in-person.
- Employees returning from travel to most other states and countries will be subject to strict
 <u>travel quarantine requirements</u> upon their return to NYS. Travel quarantine also applies to
 out-of-town clients and other visitors. Contact your agency General Counsel for additional
 information about returning to work after travel.
- The NYC Health Department has published general <u>travel guidance</u>.

CITY VEHICLE OPERATORS AND PASSENGERS

- All individuals operating or riding in a city vehicle must wear a face covering that complies with the City's guidance on face coverings.
- Get tested for COVID-19 frequently. While a key action for all, this is especially important for those that cannot maintain 6 feet of distance.
- Vehicle Operators must follow the NYC Health Department's <u>COVID-19</u>: <u>General Guidance</u> for Vehicle Operators:
 - Clean and disinfect the vehicle routinely.
 - Pay special attention to surfaces and objects often touched by passengers, such as door handles, window buttons, locks, payment machines, armrests, seat cushions, buckles, and seatbelts.
 - Wipe down surfaces frequently touched, such as the steering wheels, radio buttons, turn indicators, and cup holders.
 - Remove visible dirt and grime first with water and soap or detergent. Use a regular disinfectant product (for example, bleach, peroxide, or alcohol-based multi-purpose products) that is effective against the virus that causes COVID-19 and is appropriate for the surface to remove germs. Disinfectants are the most effective on clean surfaces. Read and follow the labels on the cleaning and disinfectant products.
 - Wear disposable gloves and any other appropriate protective gear when cleaning and disinfecting. Throw gloves in the trash after use, wash hands with soap and water, or use an alcohol-based hand sanitizer if soap and water are not available.
 - Keep the vehicle doors open while cleaning and disinfecting.
 - Wait until all surfaces have dried before accepting passengers.
- For additional information about cleaning and disinfecting, see the NYC Health
 Department's General Guidance for Cleaning and Disinfection for Non-Health Care Settings.

ACCESSIBILITY CONSIDERATIONS

- See <u>Accessibility Considerations for a Return to the Office Plan</u> for more information and FAQ's.
- The <u>Reasonable Accommodations at a Glance</u> flowchart can be included in messaging to remind employees of the process for requesting a reasonable accommodation.

SUPPORT FOR EMPLOYEES

- Share and make easily accessible all employee resources the City offers to promote health and wellness.
- In addition to sharing information regarding the Employee Assistance Program, agency personnel representatives should also familiarize themselves with the citywide and agency-specific programs offered by Work Well NYC and Thrive NYC.
- There are also generally available resources from NYC Well:
 - COVID-19 Digital Mental Health Resources
 - 24/7 counseling and referrals to care:
 - · Call: 888-NYC-WELL (888-692-9355).
 - Text "WELL" to 65173.
 - · Chat online at nyc.gov/nycwell

COMMUNICATION

Communication is key to keeping the workforce informed and engaged. Timely and consistent communication will also support the agency's efforts to address employee concerns as they arise effectively. All measures taken in the areas of the building, the workspace, and the workforce need to be communicated across various mediums. It is recommended that communications be centralized to ensure all individuals receive the same message.

- Consider hosting staff orientations and Q&A sessions with Human Resources and Offices of Safety and Health via video conferencing before staff return to work.
- Establish centralized, two-way communication to ensure a trusting and transparent culture for the workforce, visitors, tenants, and vendors.
- Use a wide range of communication channels and materials—email, employee portals, text messages, video, virtual live events, posters/digital displays, and others.
- Post signs and reminders at entrances and in strategic places providing instruction on hand hygiene, COVID-19 symptoms, cough and sneeze etiquette. <u>CDC</u>, <u>NYC Health Department</u>, and <u>DCAS</u> have print materials available to download, some of which are translated into different languages.
- Develop and distribute an employee return to office handbook (see a sample, <u>The DCAS</u>
 Office in the Age of COVID-19).
- Provide information on what actions have been taken, new policies and protocols that have been put in place, and future changes to expect.
- Make messaging accessible to all by providing alternate formats, including braille, and ensuring that videos or online materials meet ADA standards and are available in American Sign Language (ASL).
- Provide employee training and information on COVID-19 risk factors, protective measures, cleaning, and disinfection products used in the workplace.
- Post the actions and measures that have been taken for each building in the lobby to alleviate concerns.
- If the office's return is phased, communicate what units/services are coming back first and why; and what the longer-term plan is.
- Remind employees that City resources are available to them, including leave options, union benefits (including financial planning), confidential discussions with the agency's equal employment opportunity (EEO) officer for reasonable accommodations, health and wellness services provided by the <u>WorkWell NYC</u> and the <u>Employee Assistance Program</u>, and benefits offered by their health care providers.
- Provide resources and information to facilitate commuting.
- Create and test communication systems for employees for self-reporting and notification of exposures and closures.
- If contractors are employed in the workplace, develop plans to communicate with the
 contracting company regarding modifications to work processes and requirements for the
 contractors to prevent transmission of COVID-19.

RESOURCES

NEW YORK CITY AGENCY AND EMPLOYEE RESOURCES

Торіс	TITLE AND LINK
Accessibility	Accessibility Considerations for a Return to the Office Plan
Leave Policy	<u>Updated Guidance for City Agencies on Leave Policy Applicable During the</u> <u>Outbreak of Coronavirus Disease 2019 (COVID-19), eff. January 12, 2021</u> .
Telework Policy	PSB 600-3 Temporary Citywide Telework Policy for City Employees During the COVID-19 Outbreak
Remote Management Guidance	Guidelines for Managing Remotely
Alternative Work Arrangement Form	Alternative Work Arrangement Form
Recording Remote Work in CityTime	Recording Work from a Remote Work Location in CityTime Labor Allocation
Vaccination Policy	PSB 600-4: Temporary Citywide Policy for Vaccination of City Employees against SARS-CoV-2
Face Mask Policy	DCAS Commissioner's Directive 2020-1, revised February 17, 20211
Sample Signs	Sample COVID-19 Signs for Buildings and Workspaces
APO Portal	Agency Personnel Officer Portal (access via CityShare only)
DCAS Sample Docs:	The DCAS Office in the Age of COVID-19
	Building Entrance Face Covering Protocol
	COVID-19 Health Screening Protocol for DCAS-Managed Buildings
	COVID-19 Prevention: Enhanced Cleaning and Disinfection Protocols

PUBLIC RESOURCES

General

Source	TITLE	WEBLINK	LAST UPDATED
-	COVID-19 Resource Guide for New York City (NYC)	https://www1.nyc.gov/assets/doh/downlo ads/pdf/imm/covid-19-resource-snapshot- comprehensive.pdf	12/17/20
Hygiene (DOHMH)	Reopening New York City: Frequently Asked Questions (FAQs)	https://www1.nyc.gov/assets/doh/downlo ads/pdf/imm/covid-19-reopening-nyc- faq.pdf	12/18/20
	for Businesses and Other	https://www1.nyc.gov/assets/doh/downlo ads/pdf/imm/novel-coronavirus-faq-for- businesses.pdf	04/16/20
	COVID-19: Guidance for Businesses and Schools	https://www1.nyc.gov/site/doh/covid/covid-19-businesses-and-facilities.page	Web page

SOURCE	TITLE	WEBLINK	LAST UPDATED
	Reopening New York City: What Commercial Building Management Needs to Know	https://www1.nyc.gov/assets/doh/downlo ads/pdf/imm/covid-19-reopening- commercial-building-management- guidance.pdf	08/17/20
	Reopening New York City: What Offices Need to Know	https://www1.nyc.gov/assets/doh/downlo ads/pdf/imm/covid-19-reopening-offices- guidance.pdf	08/17/20
	COVID-19: Prevention and Groups at Higher Risk	https://www1.nyc.gov/site/doh/covid/covid-19-prevention-and-care.page	Web page
New York State Department of	Novel Coronavirus	https://coronavirus.health.ny.gov/home	Web page
Health	COVID-19 Travel Advisory	https://coronavirus.health.ny.gov/covid- 19-travel-advisory	Web page
New York State Governor's Office	Metrics to Guide Reopening New York	https://www.governor.ny.gov/new-york- forward/regional-guidelines-re-opening- new-york#phased-plan-to-re-open-new- york	Web page
	Interim Guidance for Commercial Building Management During the COVID-19 Public Health Emergency (Guidance & Checklist)	Guidance: https://www.governor.ny.gov/sites/govern or.ny.gov/files/atoms/files/commercial- building-management-master-guidance.pdf Checklist: https://www.governor.ny.gov/sites/govern or.ny.gov/files/atoms/files/BuildingManag ementSummaryGuidance.pdf	06/26/20
	Interim Guidance for Office- Based Work During the COVID-19 Public Health Emergency	Guidance: https://www.governor.ny.gov/sites/govern or.ny.gov/files/atoms/files/offices-interim- guidance.pdf Checklist: https://www.governor.ny.gov/sites/govern or.ny.gov/files/atoms/files/OfficesSummar yGuidelines.pdf	03/12/21
Centers for Disease Control &	Coronavirus (COVID-19)	https://www.cdc.gov/coronavirus/2019- nCoV/index.html	Web page
Prevention (CDC)	COVID-19 Appendices	https://www.cdc.gov/coronavirus/2019- ncov/php/contact-tracing/contact-tracing- plan/appendix.html#contact	03/11/21

SOURCE	TITLE	WEBLINK	LAST UPDATED
	Guidance for Businesses and Employers Responding to Coronavirus Disease 2019 (COVID-19)	https://www.cdc.gov/coronavirus/2019- ncov/community/guidance-business- response.html#anchor_1609684800152	03/08/21
	Employer Information for Office Buildings	https://www.cdc.gov/coronavirus/2019- ncov/community/office-buildings.html	01/04/21
	Guidance for Businesses and Employers Responding to Coronavirus Disease 2019 (COVID-19)	https://www.cdc.gov/coronavirus/2019- ncov/community/guidance-business- response.html	03/08/21
	General Business Frequently Asked Questions	https://www.cdc.gov/coronavirus/2019- ncov/community/general-business- faq.html	02/11/21
	NIOSH COVID-19 Workplace Safety and Health Topic	https://www.cdc.gov/niosh/emres/2019 n cov.html	Web page
Occupational Safety and Health Administration (OSHA)	Guidance on Preparing Workplaces for COVID-19	https://www.osha.gov/Publications/OSHA3 990.pdf	Mar 2020

Cleaning

SOURCE	TITLE	WEBLINK	LAST UPDATED
New York City	Interim Guidance for	https://coronavirus.health.ny.gov/system	08/12/20
Department of	Cleaning and Disinfection	/files/documents/2020/08/interim-	
Health and	of Public and Private	guidance-public-and-private-	
Mental Hygiene	Facilities for COVID-19	facilities_0.pdf	
(DOHMH)	COVID-19: General	https://www1.nyc.gov/assets/doh/downl	06/26/20
	Guidance for Cleaning and	oads/pdf/imm/disinfection-guidance-for-	
	Disinfection	businesses-covid19.pdf	
	for Non-Health Care		
	Settings		
	COVID-19 Cleaning and	https://www1.nyc.gov/assets/doh/downl	06/14/20
	Disinfection Log Template	oads/pdf/imm/covid-19-cleaning-	
		disinfection-log-template.pdf	
New York State	Interim Guidance for	https://coronavirus.health.ny.gov/system	08/12/20
Department of	Cleaning and Disinfection	/files/documents/2020/08/interim-	
Health	of Public and Private	guidance-public-and-private-	
	Facilities for COVID-19	facilities_0.pdf	
	Cleaning and Disinfecting	https://www.cdc.gov/coronavirus/2019-	01/05/21
Centers for	Your Facility	ncov/community/organizations/cleaning-	
Disease Control		disinfection.html	
& Prevention	Guidance for Cleaning and	https://www.cdc.gov/coronavirus/2019-	03/01/21
(CDC)	Disinfecting Public Spaces,	ncov/community/reopen-guidance.html	
	Workplaces, Businesses,		
	Schools, and Homes		

Source	TITLE	WEBLINK	LAST UPDATED
United State	List N: Disinfectants for Use	https://www.epa.gov/pesticide-	Web page
Environmental	Against SARS-CoV-2	registration/list-n-disinfectants-use-	
Protection		against-sars-cov-2	
Agency			
Occupational	OSHA Hazard	https://www.osha.gov/dsg/hazcom/	Web page
Safety and	Communication Standard		
Health			
Administration			
American	Workplace Cleaning for	https://aiha-	2020
Industrial	COVID-19 Guidance	assets.sfo2.digitaloceanspaces.com/AIHA	
Hygiene	Document	/resources/Guidance-	
Association		Documents/Workplace-Cleaning-for-	
(AIHA)		COVID-19-Guidance-	
		Document_FINAL.pdf	

Airborne Transmission & Ventilation

Source	TITLE	WEBLINK	LAST UPDATED
Centers for	Scientific Brief: SARS-CoV-2	https://www.cdc.gov/coronavirus/2019-	10/05/20
Disease Control	and Potential Airborne	ncov/more/scientific-brief-sars-cov-	
& Prevention	Transmission	2.html	
(CDC)	How COVID-19 Spreads	https://www.cdc.gov/coronavirus/2019-	10/28/20
		ncov/prevent-getting-sick/how-covid-	
		spreads.html	
	Ventilation in Buildings	https://www.cdc.gov/coronavirus/2019-	02/09/21
		ncov/community/ventilation.html	
United State	Ventilation and	https://www.epa.gov/coronavirus/ventil	Web page
Environmental	Coronavirus (COVID-19)	ation-and-coronavirus-covid-19	
Protection	Indoor Air and Coronavirus	https://www.epa.gov/coronavirus/indoor	Web page
Agency (EPA)	(COVID-19)	-air-and-coronavirus-covid-19	
Occupational	COVID-19 Guidance on	https://www.osha.gov/Publications/OSH	Nov2020
Safety and	Ventilation in the	<u>A4103.pdf</u>	
Health	Workplace		
Administration			
(OSHA)			
World Health	Coronavirus	https://www.who.int/health-	Web page
Organization		topics/coronavirus#tab=tab_1	
(WHO)	Transmission of SARS-CoV-	https://www.who.int/news-	07/09/20
	2: implications for infection	room/commentaries/detail/transmission-	
	prevention precautions	of-sars-cov-2-implications-for-infection-	
		<u>prevention-precautions</u>	
	ASHRAE Statement	https://www.ashrae.org/technical-	Web page
	Regarding Transmission of	resources/ashrae-statement-regarding-	
	Sars-Cov-2	transmission-of-sars-cov-2	
	HVAC and COVID-19	https://www.ashrae.org/file%20library/t	Sep 2020
		echnical%20resources/covid-19/20-	
		29 light.pdf	

SOURCE	TITLE	WEBLINK	LAST UPDATED
American	ASHRAE Position Document	https://www.ashrae.org/file%20library/a	04/14/20
Society of	on Infectious Aerosols	bout/position%20documents/pd_infectio	
Heating,		usaerosols 2020.pdf	
Refrigerating	Core Recommendations for	https://www.ashrae.org/file%20library/t	01/06/21
and Air-	Reducing Airborne	echnical%20resources/covid-19/core-	
Conditioning	Infectious	recommendations-for-reducing-airborne-	
Engineers	Aerosol Exposure	infectious-aerosol-exposure.pdf	
(ASHRAE)	ASHRAE	https://www.ashrae.org/technical-	Web page
	Filtration/Disinfection	resources/filtration-	
		disinfection#mechanical	
Federation of	How to operate HVAC and	https://www.rehva.eu/fileadmin/user_u	08/03/20
European	other building service	pload/REHVA_COVID-	
Heating,	systems to prevent the	19 guidance document V3 03082020.p	
Ventilation and	spread of the coronavirus	<u>df</u>	
Air Conditioning	(SARS-CoV-2) disease		
Associations	(COVID-19) in workplaces		
(REHVA)			
International	Expiratory Aerosols and	https://research.qut.edu.au/ilaqh/project	Web page
Laboratory	Infection Spread	s/expiratory-aerosols-and-infection-	
for Air Quality	(includes a link to Airborne	spread/	
and Health	Infection Risk Calculator		
	(AIRC))		
Clinical	It Is Time to Address	https://academic.oup.com/cid/advance-	07/06/2020
Infectious	Airborne Transmission of	article/doi/10.1093/cid/ciaa939/5867798	
Diseases	Coronavirus Disease 2019	<u>article/doi/10.1033/cld/claa333/3807738</u>	
	(COVID-19)		
Environment	Airborne transmission of	https://www.sciencedirect.com/science/	June 2020
International	SARS-CoV-2: The world	article/pii/S016041202031254X	
	should face the reality		
JAMA Insights	Turbulent Gas Clouds and	https://jamanetwork.com/journals/jama/	03/26/20
	Respiratory Pathogen	fullarticle/2763852	
	Emissions: Potential		
	Implications for Reducing		
	Transmission of COVID-19		
Berkeley Lab	Using Ultraviolet	https://iaqscience.lbl.gov/air-uv	Web page
	Germicidal Lights for Air		
	Cleaning		
McKinsey &	Can HVAC systems help	https://www.mckinsey.com/industries/a	Web page
Company	prevent transmission of	dvanced-electronics/our-insights/can-	
	COVID-19?	hvac-systems-help-prevent-transmission-	
		of-covid-19	

Building Management (General)

Source	TITLE	WEBLINK	LAST UPDATED
New York City	Guidance for Returning	https://www1.nyc.gov/assets/doh/downl	06/08/20
Department of	Building Water Systems to	oads/pdf/imm/covid-19-building-water-	
Health and	Service	service-return.pdf	
Mental Hygiene	After Prolonged Shutdown		
(DOHMH)			
American	Guidance for Building	https://www.ashrae.org/news/ashraejou	May 2020
Society of	Operations During the	rnal/guidance-for-building-operations-	
Heating,	COVID-19 Pandemic	during-the-covid-19-pandemic	
Refrigerating	ASHRAE Offers COVID-19	https://www.ashrae.org/about/news/20	05/07/20
and Air-	Building	20/ashrae-offers-covid-19-building-	
Conditioning	Readiness/Reopening	readiness-reopening-guidance	
Engineers	Guidance		
(ASHRAE)	ASHRAE Standard 180-	https://www.ashrae.org/File%20Library/	06/11/18
	2018, Standard Practice for	Technical%20Resources/Bookstore/previ	
	the Inspection and	ews 2016639 pre.pdf	
	Maintenance of		
	Commercial Building HVAC		
	Systems		
Building Owners	Getting Back to Work:	https://boma.informz.net/BOMA/data/i	05/01/20
& Managers	Preparing Buildings for Re-	mages/Getting%20Back%20To%20Work	
Association	Entry Amid COVID-19	%20Preparing%20Buildings%20for%20Re	
International		%20Entry.pdf	
(BOMA)			
International	Health and Safety	http://community.ifma.org/knowledge_li	01/29/21
Facility	Resources to Safeguard	brary/b/news and updates/posts/health	
Management	Against Infection	-and-safety-resources-to-safeguard-	
Association		against-infection	
(IFMA)			
Buildings.com	Smarter Facility	https://www.buildings.com/news/industr	04/06/20
	Management	y-news/articleid/22231/title/managing-	
	3 Tips for Managing an	empty-building-covid-19	
	Empty Building During		
	COVID-19		

Workspace Design

Source	TITLE	WEBLINK	LAST UPDATED
JOUNCE	IIILE	AA COLIIAK	LASI OPDATED
American	Reopening: Guidance for	https://aiha-	05/26/20
Industrial	General Office Settings	assets.sfo2.digitaloceanspaces.com/AIHA	
Hygiene		/resources/Guidance-	
Association		Documents/Reopening-Guidance-for-	
(AIHA)		General-Office-	
		Settings GuidanceDocument.pdf	
Cushman &	6 Feet Office	https://www.cushmanwakefield.com/en/	NA
Wakefield		netherlands/six-feet-office	

SOURCE	TITLE	WEBLINK	LAST UPDATED
	Recovery Readiness: A	https://www.cushmanwakefield.com/en/	09/02/20
	How-To Guide for Re-	insights/covid-19/recovery-readiness-a-	
	Opening Your Workplace	how-to-guide-for-reopening-your-	
		workplace	
CBRE	COVID 19 and The Future	https://irp-	NA
	of Furniture	cdn.multiscreensite.com/e894f327/files/	
		uploaded/Future%20of%20Furniture%20	
		post%20COVID%2019_CBRE%20Furniture	
		%20Advisory.pdf	
Fast Company	Our Offices Will Never Be	https://www.fastcompany.com/9048806	04/13/20
	the Same After COVID-19:	0/our-offices-will-never-be-the-same-	
	Here's What They Could	after-covid-19-heres-what-they-could-	
	Look Like	<u>look-like</u>	
Work Design	A Commonsense Guide for	https://www.workdesign.com/2020/04/a	Web page
Magazine	Returning to the Post	-common-sense-guide-for-the-return-to-	
	COVID-19 Workplace	the-office/	
The Facility	The New Office Space: 4	https://facilityexecutive.com/2020/04/th	04/21/20
Executive	Ways Coronavirus Will	e-new-office-space-4-ways-coronavirus-	
	Change the Workplace	will-change-the-workplace/	
Herman Miller	A Guide for Returning to	https://www.hermanmiller.com/research	Web page
	the Physical Workplace	/categories/white-papers/strategies-	
		returning-to-the-workplace-covid-19/	
Steelcase	Designing the Post-COVID	https://www.steelcase.com/research/arti	Web page
	Workplace	cles/designing-the-post-covid-workplace/	
Knoll	Considerations for	https://www.knoll.com/design-	Web Page
	returning to a Healthy	plan/planning/considerations-for-	
	Workplace	returning-to-a-healthy-workplace	

General Personnel Management

Source	TITLE	WEBLINK	LAST UPDATED
DOHMH	Handling COVID-19 Cases in	https://www1.nyc.gov/assets/doh/downl	09/04/20
	the Workplace: What	oads/pdf/covid/businesses/covid-19-	
	Employers Need to Know	reopening-cases-workplace.pdf	
	COVID-19: Understanding	https://www1.nyc.gov/assets/doh/downl	12/31/20
	Quarantine and Isolation	oads/pdf/covid/covid-19-understanding-	
		quarantine-and-isolation.pdf	
NYC Health/Test	Information for Employers	https://www1.nyc.gov/assets/doh/downl	10/14/20
& Trace Corps	on NYC's COVID-19 Testing	oads/pdf/covid/businesses/covid-19-	
	Recommendations	testing-employers.pdf	
	Traveling During COVID-19	https://www1.nyc.gov/assets/doh/downl	12/30/20
		oads/pdf/covid/covid-19-travel.pdf	

Source	TITLE	WEBLINK	LAST UPDATED
New York State	Interim Guidance for Public	https://coronavirus.health.ny.gov/system	5/31/20
Department of	and Private Employees	/files/documents/2020/06/doh_covid19_	
Health	Returning to Work	publicprivateemployeereturntowork_053	
	Following COVID-19	<u>120.pdf</u>	
	Infection or Exposure		
	Health Advisory:	https://coronavirus.health.ny.gov/system	12/26/20
	Quarantine for Persons	/files/documents/2020/12/covid19-	
	Exposed to COVID-19	health-advisory-updated-quarantine-	
		guidance-12.26.20.pdf	
CDC	When to Quarantine	https://www.cdc.gov/coronavirus/2019-	03/12/21
		ncov/if-you-are-sick/quarantine.html	
	Options to Reduce	https://www.cdc.gov/coronavirus/2019-	12/02/20
	Quarantine for Contacts of	ncov/more/scientific-brief-options-to-	
	Persons with SARS-CoV-2	reduce-quarantine.html	
	Infection Using Symptom		
	Monitoring and Diagnostic		
	Testing		
Occupational	Using Leading Indicators to	https://www.osha.gov/leadingindicators/	Web Page
Safety	Improve Safety and Health	docs/OSHA Leading Indicators.pdf	
and Health	Outcomes		
Administration			
(OSHA)			
U.S. Office of	Coronavirus Disease 2019	https://www.opm.gov/policy-data-	02/19/21
Personnel	(COVID-19)	oversight/covid-19/	
Management			
(OPM)			
Harvard Business	Your Employee Tested	https://hbr.org/2020/03/your-employee-	03/30/20
Review	Positive for Covid-19. What	tested-positive-for-covid-19-what-do-	
	Do You Do?	<u>you-do</u>	

Face Coverings & Health Screenings

Source	TITLE	WEBLINK	LAST UPDATED
New York City	NYC Face Coverings	https://www1.nyc.gov/site/coronavirus/r	Web page
Department of		esources/facecoverings.page	
Health and			
Mental Hygiene			
(DOHMH)	COVID-19 Face Coverings:	https://www1.nyc.gov/assets/doh/downl	02/18/20
	Frequently Asked	oads/pdf/imm/covid-19-face-covering-	
	Questions	faq.pdf	
	The Basics About	https://www1.nyc.gov/assets/doh/downl	01/14/21
	Face Coverings	oads/pdf/covid/basics-about-face-	
		coverings.pdf	
	COVID-19 Employer Health	https://www1.nyc.gov/assets/doh/downl	01/09/21
	Screen Review	oads/pdf/imm/covid-19-health-screen-	
	Documentation Template	template.pdf	

Source	TITLE	WEBLINK	LAST UPDATED
Centers for	Your Guide to Masks	https://www.cdc.gov/coronavirus/2019-	02/22/21
Disease Control		ncov/prevent-getting-sick/about-face-	
& Prevention		coverings.html	
(CDC)			
	Requirement for Face	https://www.cdc.gov/coronavirus/2019-	02/10/21
	Masks on Public	ncov/travelers/face-masks-public-	
	Transportation	transportation.html	
	Conveyances and at		
	Transportation Hubs		

Testing & Vaccines

Source	TITLE	WEBLINK	LAST UPDATED
New York City	NYC COVID-19 Testing	https://www1.nyc.gov/assets/doh/downl	01/06/21
Department of	Recommendations	oads/pdf/covid/covid-19-testing-	
Health and		<u>recommendations.pdf</u>	
Mental Hygiene	COVID-19: Vaccine Facts	https://www1.nyc.gov/site/doh/covid/co	Web page
(DOHMH)		vid-19-vaccine-facts.page	
	COVID-19 Testing:	https://www1.nyc.gov/assets/doh/downl	12/03/20
	Frequently Asked	oads/pdf/imm/covid-19-testing-faq.pdf	
	Questions (FAQ)		
	COVID-19: Vaccine	https://www1.nyc.gov/site/doh/covid/co	Web page
	Eligibility	vid-19-vaccine-eligibility.page	
	What New Yorkers Need to	https://www1.nyc.gov/assets/doh/downl	03/10/21
	Know About COVID-19	oads/pdf/covid/covid-19-vaccines-	
	Vaccines	faq.pdf	
New York City	Vaccination Sites	https://vaccinefinder.nyc.gov/	Web page
		https://vax4nyc.nyc.gov/	Web page
	Testing Appointment	https://appointments.bioreference.com/	Web page
	Scheduling – NYC	nycworkwell	
	Employees		
New York State	List of Comorbidities and	https://www.governor.ny.gov/news/gov	02/05/21
Governor's	Underlying Conditions	ernor-cuomo-announces-list-	
Office	Eligible for COVID-19	comorbidities-and-underlying-conditions-	
	Vaccine Starting February	eligible-covid-19-vaccine	
	15		

ADA

SOURCE	TITLE	WEBLINK	LAST UPDATED
U.S. Equal	What You Should Know	https://www.eeoc.gov/wysk/what-you-	12/16/20
Employment	About COVID-19 and the	should-know-about-covid-19-and-ada-	
Opportunity	ADA, the Rehabilitation	rehabilitation-act-and-other-eeo-laws	
Commission	Act, and Other EEO Laws		
(EEOC)	Pandemic Preparedness in	https://www.eeoc.gov/laws/guidance/pa	03/21/20
	the Workplace and the	ndemic-preparedness-workplace-and-	
	Americans with Disabilities	americans-disabilities-act	
	Act		



nyc.gov/dcas

